



- GENERAL NOTES**
- 1) FOR DOOR TYPES/SCHEDULE, SEE SHEET A9.1
  - 2) FOR PARTITION TYPES, SEE SHEET A10.1
  - 3) FOR WINDOW SCHEDULE, SEE SHEET A8.1 + A8.2
  - 4) FOR REFLECTED CEILING PLAN, SEE A8.2
  - 5) FOR FINISHES, SEE A11.1
  - 6) ALL PRIMARY STRUCTURE SHALL RECEIVE THE REQUIRED THICKNESS OF PREPROOFING FOR A 3 HOUR RATING.
  - 7) ALL SECONDARY STRUCTURE SHALL RECEIVE THE REQUIRED THICKNESS OF PREPROOFING FOR A 2 HOUR RATING.

**DISCLAIMER**  
**5-4-95**  
 Drawing Needs to be Field Verified.  
 Seattle Center Project Manager

|               |                                    |
|---------------|------------------------------------|
| Screen        |                                    |
| Instructions  | 622 N-2, 622 N-2, 622 N-2, 622 N-2 |
| Block/Overlay |                                    |

2445 THE PHELPS CENTER  
 ENTRY LEVEL  
 FLOOR PLAN +0.00  
 AS BUILT REVISED 6/191

**The NBBJ Group**  
 Architecture, Interior Design, Planning, Economics, Cost Management,  
 Graphic Design, Landscape Architecture

111 South Jackson Street, Seattle, Washington 98104

**PACIFIC NORTHWEST BALLET**  
 Seattle Center Exhibition Hall

| Number | Date     | By  | Description of Revision |
|--------|----------|-----|-------------------------|
| 1      | 12/20/90 | AGG | ADD #1                  |
| 2      | 1/15/91  | JHA | ADD #3                  |
| 3      | 3/6/91   | JHA | AMENDMENT #1            |
| 4      | 6/1/91   | JHA | AMENDMENT #5            |
| 5      | 6/1/91   | JHA | AMENDMENT #4            |

Sheet Title: **ENTRY LEVEL FLOOR PLAN +0.00'**

Scale: 1/8" = 1'-0"

Sheet Number: **2.445**

Project Number: **A2.2**

Date: **03 DEC 90**

Approved By: [Signature]

Designed By: BR, Drawn: ALD, Checked: MR

AS-BUILTS